

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H55WC01

Number : 000000019673

Product Use Description : Compounding, melt spinning, and extrusion processes

Manufacturer or supplier's details : AdvanSix Inc.
300 Kimball Dr Ste 101
Parsippany, NJ 07054

For more information call : 1-844-890-8949
+1-973-526-1800

In case of emergency call : Transportation and/or Poison Control (CHEMTREC):
1-800-424-9300 or +1-703-527-3887
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : pellets

Color : clear or white

Odor : slight organic

Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

Precautionary statements : **Prevention:**
Use personal protective equipment as required.

Hazards not otherwise classified : Product dust may be irritating to eyes, skin and respiratory system.
Thermal decomposition can lead to release of irritating gases and vapours.
The molten product can cause serious burns.

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Nylon 6	25038-54-4	>95.00 %
ϵ -Caprolactam	105-60-2	<5.00 %

SECTION 4. FIRST AID MEASURES

- Inhalation : Remove to fresh air. Call a physician if irritation develops or persists.
- Skin contact : Wash off immediately with plenty of water. Use a mild soap if available. Call a physician if irritation develops or persists. Cool skin rapidly with cold water after contact with hot polymer. Call a physician immediately.
- Eye contact : Rinse thoroughly with plenty of water, also under the eyelids. Call a physician if irritation develops or persists.
- Ingestion : Unlikely route of exposure. Seek medical advice.

Notes to physician

- Treatment : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

- circumstances and the surrounding environment.
 Water spray
 Foam
 Dry chemical
 Carbon dioxide (CO₂)
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
 Hydrogen cyanide (hydrocyanic acid)
 Ammonia
 Carbon monoxide
- Special protective equipment for firefighters : In the event of fire and/or explosion do not breathe fumes.
 Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Wear personal protective equipment. Unprotected persons must be kept away.
 Ensure adequate ventilation.
- Environmental precautions : Should not be released into the environment.
- Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
 Avoid dust formation.

SECTION 7. HANDLING AND STORAGE**Handling**

- Handling : Wear personal protective equipment.
 Heat only in areas with appropriate exhaust ventilation.
 Do not breathe fumes, vapour.
 Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
 Do not breathe dust.
 Avoid contact with skin and eyes.
 Handle in accordance with good industrial hygiene and safety practice.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Storage

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Handle in accordance with good industrial hygiene and safety practice.
Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering measures : Effective exhaust ventilation system
Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapours.

Eye protection : Wear as appropriate:
Safety glasses with side-shields
Face-shield

Hand protection : When handling hot material, use heat resistant gloves.

Skin and body protection : Wear heat protective clothing for handling hot material.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
ε-Caprolactam	105-60-2	TWA : Time weighted average	5 mg/m ³	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure : Inhalable fraction and vapor.			

ε-Caprolactam	105-60-2	REL : Recommended exposure limit (REL):	1 mg/m ³ (0.22 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information	:	Form of exposure : Vapour			

SAFETY DATA SHEET

**H55WC01****000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

ε-Caprolactam	105-60-2	STEL : Short term exposure limit	3 mg/m3 (0.66 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
---------------	----------	----------------------------------------------	-----------------------	------	------------------------------------------------------------------

Further information	:	Form of exposure : Vapour			
------------------------	---	---------------------------	--	--	--

ε-Caprolactam	105-60-2	REL : Recomm ended exposure limit (REL):	1 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
---------------	----------	---------------------------------------------------------	---------	------	------------------------------------------------------------------

Further information	:	Form of exposure : Dust.			
------------------------	---	--------------------------	--	--	--

ε-Caprolactam	105-60-2	STEL : Short term exposure limit	3 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
---------------	----------	----------------------------------------------	---------	------	------------------------------------------------------------------

Further information	:	Form of exposure : Dust.			
------------------------	---	--------------------------	--	--	--

ε-Caprolactam	105-60-2	STEL : Short term exposure limit	3 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
---------------	----------	----------------------------------------------	---------	------	---------------------------------------------------

Further information	:	Form of exposure : Dust.			
------------------------	---	--------------------------	--	--	--

ε-Caprolactam	105-60-2	STEL : Short term exposure limit	40 mg/m3 (10 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
---------------	----------	----------------------------------------------	----------------------	------	---------------------------------------------------

Further information	:	Form of exposure : Vapour			
------------------------	---	---------------------------	--	--	--

ε-Caprolactam	105-60-2	TWA : Time weighted average	1 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
---------------	----------	--------------------------------------	---------	------	---------------------------------------------------

Further information	:	Form of exposure : Dust.			
------------------------	---	--------------------------	--	--	--

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

ε-Caprolactam	105-60-2	TWA : Time weighted average	20 mg/m3 (5 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further information	:	Form of exposure : Vapour			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	pellets
Color	:	clear or white
Odor	:	slight organic
pH	:	Note: Not applicable
Melting point/range	:	220 °C
Boiling point/boiling range	:	Note: Not applicable
Flash point	:	Note: not determined
Evaporation rate	:	Note: Not applicable
Lower explosion limit	:	Note: Not applicable
Upper explosion limit	:	Note: Not applicable
Vapor pressure	:	Note: Not applicable
Vapor density	:	Note: Not applicable, (Air = 1.0)
Density	:	1.13 - 1.15 g/cm3
Water solubility	:	Note: insoluble

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Ignition temperature : Note: not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Avoid exposure to temperatures exceeding recommended processing conditions. AdvanSix should be contacted if questions arise concerning specific processing conditions.

Incompatible materials to avoid : Strong acids

Hazardous decomposition products : Irritant gases/vapours
Flammable gases/vapours
Carbon monoxide
Ammonia
Ketones
Hydrogen cyanide (hydrocyanic acid)
Amines

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l , dust/mist
Exposure time: 4 h
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Skin irritation
ε-Caprolactam

: Species: Rabbit
Exposure time: 24 h
Note: occluded application
Neat (dry):
slight irritation
Moistened:
negligible

Repeated dose toxicity
ε-Caprolactam

: Species: Rat
Application Route: Inhalation
Exposure time: (13 Weeks)
NOAEL (No observed adverse effect level): 0.243 mg/l

Genotoxicity in vitro
ε-Caprolactam

: Note: In vitro tests did not show mutagenic effects

Genotoxicity in vivo
ε-Caprolactam

: Note: In vivo tests did not show mutagenic effects

SECTION 12. ECOLOGICAL INFORMATIONToxicity to fish
ε-Caprolactam

: static test
LC50: > 500 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates

ε-Caprolactam

: EC50: > 500 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

Toxicity to algae
ε-Caprolactam

: EC50: 130 mg/l
Exposure time: 72 h
Species: Algae

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Further information on ecology

Additional ecological information : Accumulation in aquatic organisms is unlikely.
Not inherently biodegradable.
Aquatic toxicity is unlikely due to low solubility.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Acute Health Hazard

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK : ε-Caprolactam 105-60-2

New Jersey RTK : ε-Caprolactam 105-60-2

Pennsylvania RTK : ε-Caprolactam 105-60-2

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	1
Flammability	: 1	1
Physical Hazard	: 0	

H55WC01**000000019673**

Version 1.3

Revision Date 08/15/2017

Print Date 08/15/2017

Instability : 0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 10/10/2016

Prepared by AdvanSix Product Stewardship Group