

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LE4439

### Manufacturer or supplier's details

Supplier : Borealis Compounds Inc  
176 Thomas Road, NJ 07865 Port Murray, United States of America  
Telephone: +1 908 850 6200

E-mail address : [sds@borealisgroup.com](mailto:sds@borealisgroup.com)

Emergency telephone number : Borealis Compounds Inc, William E Wallace: +1 908 850 6243

## SECTION 2. HAZARDS IDENTIFICATION


### Emergency Overview

|                |   |
|----------------|---|
| Appearance     | pellets   |
| Colour         | natural colour  |
| Odour          | odourless   |
| Hazard Summary | During crosslinking reaction in combination with base resin: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370 - see chapter 16) is released.<br>In contact with water or moisture methanol will be released.<br>Inhalation of dust may irritate the respiratory tract.<br>Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.<br>The product burns, but is not classified as flammable. |

### GHS-Classification

Specific target organ toxicity - repeated exposure : Category 2

### GHS-Labeling

Hazard pictograms : 

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Inhalation may provoke the following symptoms:  
Headache  
Irritation

Symptoms of poisoning (methanol):

Daze  
Dizziness  
Nausea  
Abdominal pain  
Respiratory disorders

Symptoms of poisoning, prolonged exposure (methanol):  
Blindness

## Carcinogenicity:

**IARC** : None known.  
**ACGIH** : None known.  
**OSHA** : None known.  
**NTP** : None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : The product is a silane crosslinkable polyethylene copolymer. It contains stabilisers.

### Hazardous components

| Chemical Name                            | CAS-No.   | Concentration [%] |
|--|-----------|-------------------|
| Stannane, dioctylbis[(1-oxododecyl)oxy]- | 3648-18-8 | < 3               |

---

## SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of vapours.

---

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

In case of skin contact : Cool melted product on skin with plenty of water. Do not remove solidified product.

If swallowed : Get medical advice/ attention if you feel unwell.

Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:  
Headache  
Irritation

Symptoms of poisoning (methanol):

Daze

Dizziness

Nausea

Abdominal pain

Respiratory disorders

Symptoms of poisoning, prolonged exposure (methanol):

Blindness

Notes to physician : Treat symptomatically.  
No specific instructions needed.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water in spread jet, dry chemicals, foam or carbon dioxide.

Specific hazards during firefighting : Principal toxicant in the smoke is carbon monoxide.

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Use personal protective equipment.

Environmental precautions : No specific measures identified.  
The product is not considered hazardous for the environment.

Methods and materials for containment and cleaning up : Vacuum or sweep up spill.  
All spill of material must be removed immediately to prevent slipping accidents.

---

## SECTION 7. HANDLING AND STORAGE

---

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

- Advice on safe handling : During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.  
Provide adequate ventilation.  
Local exhaust ventilation may be necessary.  
Avoid inhalation of dust and decomposition fumes.  
When using do not eat, drink or smoke.
- Conditions for safe storage : Keep in a dry, cool and well-ventilated place.
- Materials to avoid : None known.
- Storage temperature : 10 - 30 °C
- Storage period : 15 Months

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

#### Personal protective equipment

Respiratory protection : In case of insufficient ventilation: Respirator with ABEK-P3 filter or self-contained breathing apparatus.

#### Hand protection

Material : butyl-rubber  
Break through time : >= 480 min  
Glove thickness : 0.5 mm

Fluorinated rubber  
>= 480 min  
0.4 mm

Remarks : The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Safety glasses

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Provide adequate ventilation.  
Local exhaust ventilation may be necessary.  
Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |  |
|--|--|
| Appearance                             | : pellets  |
| Colour                                 | : natural colour   |
| Odour                                  | : odourless  |
| pH                                     | : no data available  |
| Melting range                          | : 100 - 140 °C   |
| Boiling range                          | : Not relevant   |
| Flash point                            | : Not applicable   |
| Evaporation rate                       | : Not applicable   |
| Flammability (solid, gas)              | : The product is not flammable.                            |
| Upper explosion limit                  | : Not applicable   |
| Lower explosion limit                  | : Not applicable   |
| Vapour pressure                        | : Not applicable   |
| Relative vapour density                | : Not applicable   |
| Density                                | : 0.9 - 1.0 g/cm <sup>3</sup>                              |
| Solubility(ies)                        |  |
| Water solubility                       | : insoluble  |
| Partition coefficient: n-octanol/water | : Not applicable   |
| Auto-ignition temperature              | : > 320 °C   |
| Viscosity                              |  |
| Viscosity, kinematic                   | : Not applicable   |
| Oxidizing properties                   | : The substance or mixture is not classified as oxidizing. |

---

## SECTION 10. STABILITY AND REACTIVITY

|                          |  |
|--------------------------|--|
| Reactivity               | : Stable under recommended storage conditions.   |
| Chemical stability       | : The product is a stable thermoplastic. The intended crosslinking reaction occurs in combination with the base resin and moisture: at ambient conditions, in sauna or hot water bath. |
| Possibility of hazardous | : None known.  |

---

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

reactions  
Conditions to avoid : Exposure to moisture

Incompatible materials : None known.

Hazardous decomposition products : Under fire conditions:  
Carbon monoxide  
During crosslinking reaction in combination with base resin:  
methanol  
In contact with water or moisture methanol will be released.  
During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

**Product:**

Acute oral toxicity : Remarks: Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Acute inhalation toxicity : Remarks: No known effect.

Acute dermal toxicity : Remarks: No known effect.

**Components:**

**Stannane, dioctylbis[(1-oxododecyl)oxy]-:**

Acute oral toxicity : LD50 (Rat): 6,450 mg/kg

### Skin corrosion/irritation

**Product:**

Remarks: No known effect.

### Serious eye damage/eye irritation

**Product:**

Remarks: No known effect.

### Respiratory or skin sensitisation

**Product:**

Remarks: No known effect.

### Germ cell mutagenicity

**Product:**

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

Genotoxicity in vitro : Remarks: no data available

Genotoxicity in vivo : Remarks: no data available

## **Carcinogenicity**

### **Product:**

Remarks: Not classified based on available information.

## **Reproductive toxicity**

### **Product:**

Effects on fertility :  
Remarks: No known effect.

## **STOT - single exposure**

### **Product:**

Remarks: no data available

## **STOT - repeated exposure**

### **Product:**

Remarks: no data available

## **Repeated dose toxicity**

### **Components:**

#### **Stannane, dioctylbis[(1-oxododecyl)oxy]-:**

Application Route: Oral

Target Organs: thymus

Assessment: May cause damage to organs through prolonged or repeated exposure.

## **Aspiration toxicity**

### **Product:**

Not applicable

## **Further information**

### **Product:**

Remarks: During crosslinking reaction in combination with base resin: methanol (Flam. Liq. 2; H225, Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, STOT SE 1; H370 - see chapter 16) is released., Inhalation of dust may irritate the respiratory tract., Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

Remarks: Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to fish : Remarks: No known effect.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No known effect.

Toxicity to algae : Remarks: No known effect.

### Persistence and degradability

**Product:**

Biodegradability : Remarks: Not readily biodegradable.

### Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.

### Mobility in soil

**Product:**

Mobility : Remarks: insoluble, Not expected to adsorb on soil.

### Other adverse effects

**Product:**

Results of PBT and vPvB assessment : Not applicable

Additional ecological information : The product is not classified as hazardous for the environment.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : This substance, when discarded or disposed of is not specifically listed as a hazardous waste in Federal regulations. However, it could be hazardous if it is considered toxic, corrosive, ignitable or reactive according to Federal definitions



# SAFETY DATA SHEET

**LE4439**

Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

(40 CFR 261). Additionally, it could be designated as hazardous waste if it is mixed with or comes in contact with a hazardous waste. If such contact or mixing may have occurred, check 40 CFR 261 to determine whether it is a hazardous waste.

The transportation, storage, treatment and disposal of this waste material must be conducted in accordance with all applicable Federal, state and local regulations.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### Special precautions for user

Remarks : The product is not regulated by ADR/RID, IMDG or IATA.

---

## SECTION 15. REGULATORY INFORMATION

All ingredients within this product meet TSCA regulations., In accordance with Hazard Communication Standard 2012 (29 CFR 1910.1200), the product does not need to be classified nor labelled.

---

## SECTION 16. OTHER INFORMATION

# SAFETY DATA SHEET

**LE4439**


Version 1

Revision Date 07/16/2015

Print Date 02/02/2016

## Further information

### NFPA:



### HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>1</b> |
| <b>FLAMMABILITY</b>    | <b>0</b> |
| <b>PHYSICAL HAZARD</b> | <b>0</b> |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issued according to Regulation (EC) No 1907/2006, Annex II, and its amendments. Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Sources of key data used to compile the Safety Data Sheet : The classification information of components is based on raw material supplier data.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

**BOREALIS MAKES NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION CONTAINED HEREIN. NOTHING HEREIN SHALL CONSTITUTE ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**

**IT IS THE CUSTOMER'S RESPONSIBILITY TO INSPECT AND TEST OUR PRODUCTS IN ORDER TO SATISFY ITSELF AS TO THE SUITABILITY OF THE PRODUCTS FOR THE CUSTOMER'S PARTICULAR PURPOSE. THE CUSTOMER IS RESPONSIBLE FOR THE APPROPRIATE, SAFE AND LEGAL USE, PROCESSING AND HANDLING OF OUR PRODUCTS.**

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.